


ITEM / CONSTRUCTION: **BOLLARDS IN PEDESTRIAN ZONES**

15

ACCESSIBILITY REQUIREMENTS	MEASUREMENTS	ITEMS REQUIRING SPECIAL PLANNING ATTENTION See separate instructions	PLANNING INSTRUCTIONS	COLOURS AND LIGHTING	MAINTENANCE REQUIREMENTS
<p>1 SPECIAL LEVEL OF ACCESSIBILITY</p> <p>Pedestrian street milieus</p> <p>City centre areas with public facilities and services</p> <p>Areas surrounding institutions providing health care and services for the elderly and disabled</p> <p>Areas with a lot of housing targeted at the elderly and the disabled</p> <p>Public transport terminals and areas surrounding public bus stops</p> <p>Special sports areas and playgrounds</p> <p>Accessible routes in recreational areas, etc.</p>	 <p>The bollard in the picture is just an illustration; the type of bollard is chosen in connection with the overall planning</p>	<p>Warning areas</p>	<p>No sharp edges or components causing risk of collision or of clothes being caught in bollards</p> <p>Readily recognisable surface material in bollard zone</p> <p>Recommended height 900 mm</p>	<p>Colour or material distinct from surroundings</p> <p>Reflecting stripe or section in bollard, if bollard is dark in colour</p> <p>Safety colour where necessary</p> <p>Bollard lighting where necessary</p>	<p>Recognisability of warning pattern must be guaranteed</p> <p>Sufficient colour contrast must be maintained. Safety colours must also be preserved.</p>
<p>2 BASIC LEVEL OF ACCESSIBILITY</p>		<p>INSTRUCTIONS AS ABOVE</p>	<p>Height 600–900 mm</p>	<p>INSTRUCTIONS AS ABOVE</p>	<p>INSTRUCTIONS AS ABOVE</p>